
METIOSITOL

IS LIFE WORTH LIVING? IT ALL DEPENDS ON THE LIVER.





Liver can be affected in many ways due to the intensive production pressure in commercial layers and breeders. Fatty liver syndrome (FLS), intoxications from mycotoxins,

toxic residues in feed, antibiotic treatments, are some of the factors that cause liver injuries.

Signs include sudden drop in egg production, thin-shelled eggs, cage layer fatigue, weak, rubbery legs and depressed sternum. Hens are overweight with large pale combs. **BENEFITS:**

Metiositol is indicated to boost the fatty acids metabolism, with energy production; stimulation of the digestive function; hepatic protection; decreases pH in the large intestine by acidification and reduction of ammonium production.

COMPOSITION:

Sorbitol syrup 200 mg, DL-Carnitine HCl 25 mg, DL-Methionine 10 mg, Choline chloride 25 mg, Magnesium Sulfate10 mg, Cynara (artichoke) extract, purified water a.s for 1 ml.

RECOMMENDED SPECIES:

Commercial Layers and Breeders.

USAGE: ORAL ROUTE IN DRINKING WATER.

1mI/1-2 litres of drinking water or advised veterinarian.

OVERUSAGE:

Due to the composition and the usage recommended, it is almost impossible to cause intoxication due to overuse. STORAGE CONDITIONS:

Keep in dry, cool place protected from direct light. PRESENTATION:

1.5 and 220 Ltrs.







AHCAB Reg: 280 J.L.S Reg: 273

VETNORA S.L

C/Can Pa**l**au Nº 19 - 08530 La Garriga (Barcelona), Spain export@vetnora.com www.vetnora.com



